
# PT-D200





## PT-D200 Office Desktop Electronic Labeller

This compact PT-D200 is an ideal electronic labeller that can help you organise files, shelves and other items in office.

- Print on 3.5, 6, 9 & 12mm TZe laminated labels
- Create stylish labels using Deco mode design
- 14 fonts 8 alphabet, 6 numeric
- 617 symbols, 97 frames
- 20mm per second fast print speed



## TZe laminated labels – designed to last

Brother TZe laminated tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The direct thermal transfer ink is sandwiched between two protective layers of PET (polyester film) which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels are tested to the extreme, professional quality labels have been designed to last.





**97 frames** Professional looking labels



14 fonts (8 alpha, 6 numeric) Add style to labels



**Ergonomic keyboard** Makes typing faster and easier



Compact & portable design

Ideal for sharing around office

## Organise office with PT-D200

Clearly labelled items make a much more efficient workplace. The compact design and easy-to-use features mean labels for filing folders, shelving, staff/visitor name badges and many other items can be easily and quickly created. The wide variety of tapes in various widths and colours make PT-D200 indispensible.





#### Power source Use batteries or AD-24ES-01 AC Power adapter\*



Graphic display Preview before printing



**Design creative labels** Use Deco mode designs



Over 600 symbols Emphase on messages



## PT-D200

#### Clearly identify items with a durable TZe laminated label Cables and plugs

Around the home, office, school, shop and other places of work, there are many uses for the long lasting and durable TZe laminated labels.

### **Technical Specification**

#### **Hardware**

#### Tab function Yes Print Speed 20mm per second Number of Deco 12 designs **Print Resolution** 180dpi mode designs Automatic Control panel 4 (power, WiFi, feed, cut) Yes, (1 - 9) numbering buttons Mirror printing Yes Cutter Manual cutter Vertical printing Yes Print Method Direct thermal Copy (repeat) Power supply 6 pcs of AAA Alkaline batteries printing Yes, (1 - 9) (not included), AD-24ES-01 AC Print preview Yes, (real preview on Graphical LCD Power adapter (not included) screen display) Tape type TZe tape: 3.5, 6, 9, 12mm Auto power off Yes Min. / Max. label Unit charge Yes, (inch/mm) length 30mm / 300mm Language change 20 languages: (English, German, LCD display 15-character French, Spanish, Portuguese, Italian, LCD size 70mm x 17mm Dutch, Danish, Norwegian, Swedish, Label memory 2400 characters (30 areas x 80 Finnish, Hungarian, Czech, Polish, characters) Romanian, Slovenian, Slovakian, **Built-in Software** Croatian, Turkish, Brazilian, Portuguese) Built-in fonts 8 alpha, 6 numeric fonts Package content Character sizes 3 sizes Character widths PT-D200 Electronic Labeller 3 widths (extended, medium, condensed) TZe-231 12mm Black on White 97 Frames laminated tape (4m long) Underline User guide Yes Max. number of 2 lines **Supplies** lines TZe Tapes 3.5, 6, 9, 12mm Automatic length labels: left aligned, Horizontal Pre-set length labels:centre aligned alignment Weight and Dimension Tape length setting Yes (30 - 300mm) Tape margin 165mm (W) x 155mm (D) x 66mm (H) Dimension settings None, narrow, half, full, chain print Weight 490g









Common examples include:

- Staff and visitor name badges
- CD's and DVD's • Signage
- Office equipment
- File folders
- Filing cabinets
- Mail rooms Notice boards
- Shelving