

ENHANCING BUSINESS PERFORMANCE

WITH ELEVATED CAPABILITIES



MONOCHROME LASER PRINTERS

Designed for Reliability & Efficiency

Brother's range of monochrome laser printers help you to drive greater productivity for your enterprise.

ENHANCED EFFICIENCY for seamless, productive workflows



FAST PRINT SPEEDS

Tackle ad-hoc print jobs easily with a print speed of up to **50 ppm** (A4/LTR) and an impressive First Print Out Time of **under 6.7 seconds**.



AUTO DOCUMENT FEEDER

Enhance print productivity with the Auto Document Feeder that supports up to **70 sheets (A4/ LTR)** for print, copy and scan jobs in batches.



SCAN FUNCTIONS

Directly upload original scanned documents to the **cloud**, **e-mail servers or designated networks** with Scan To functions.



WIRELESS CAPABILITIES

Print wirelessly and connect to mobile solutions effortlessly.



5-INCH LCD TOUCHSCREEN

Displays information with clarity using a **seamless interface** that allows for **intuitive navigation**.

RELIABILITY that maximises print performance



HIGH PRINT VOLUME

Maximise performance with high paper input capacities of up to **1,040 sheets** and save time on reloading.

| ŕ | | |
|---|---|-----|
| | 2 | } , |
| 1 | 5 | |

ROBUST SECURITY

Features such as **Secure Function Lock** and **Secure Print** safeguard print jobs and other functions against unauthorised user access.

COST-SAVING with high-yield printing & scanning



HIGH-YIELD TONER CARTRIDGES

Each toner cartridge supports more than **18,000 pages**^{*1} worth of prints, reducing overall printing costs and maintenance downtime.



AUTO DUPLEX PRINT & SCAN

Utilises **double-sided printing and scanning**, saving on total operating costs.

Corporate Solutions

BRADMIN centralising information for easier management at **no cost**

Oversee your network-connected Brother devices through an easily accessible centralised platform with the **BRAdmin Professional 4 Application**.

 \oslash

Experience greater visibility and management of your machines. Easily configure printer settings for enhanced access security and device protection.



Save time and money through automation features and zero-cost printer management software.

SECURITY FEATURES secure important data and documents

Protect your data efficiently with a multitude of security features.

SECURE PRINT

Safeguard important documents by restricting print access to classified/important documents with a unique PIN code by any user.

SETTING LOCK

Prevents printer settings from being altered without entering the right password.

SECURE PRINT+

brother

Protect and print important confidential business documents securely by making sure the user is present to retrieve documents via a unique PIN code or NFC card.

CLOUD SECURE PRINT

Allows for secure and remote printing without the need to connect to a corporate network.

CUSTOM UI adapts to your business requirements

Meet specific needs for your business by customising your Brother printer's user interface. Various visual elements like buttons, text and backgrounds can be altered for **time-saving accessibility** and **easier user operation**. Furthermore, the **Brother Solutions Interface (BSI)** allows for seamless integration of modifications into business processes for greater efficiency.



INFORMATION REPLACEMENT

Customise your user interface by inserting any information you need, from service data to general information to simply adding your company logo to the background.

BUTTON CUSTOMISATION

Icons and functions can also be customised to meet your needs. Logos, text and functions are easily adjustable to provide clearer access to important functions.



WORKFLOW INTEGRATION

The Brother Solutions Interface (BSI) allows for the storage of interface changes, allowing for seamless integration into company processes for greater efficency.

| | MFC-L5915DW | |
|---|--|--|
| Description | 4-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Wireless Connectivity | |
| KEY FUNCTIONS | Print, Scan, Copy & Fax | |
| Print Speed (A4/Letter) | Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm) | |
| Print Resolution | Up to 1200 x 1200 dpi | |
| First Print Out Time (Ready) | Less than 6.7 secs | |
| 2-sided Feature | Automatic Duplex Printing, Auto Duplex Copy, Duplex Scan | |
| Print Language (Emulation) | PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0 | |
| COPY FUNCTIONS | | |
| Copy Speed (A4/Letter) | Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm) | |
| Copy Resolution | Max. 1200 x 600 dpi | |
| Reduction / Enlargement Ratio | 25% - 400% in 1% increments | |
| Copy Features | N in 1 | |
| SCAN FUNCTIONS | | |
| Scan Speed (Mono/Colour)*1 | 28/20 ipm (Duplex: 56/40 ipm) | |
| Dual Scanner (Method) | One-Pass Scanning ADF (Dual CIS) | |
| Resolution (Optical/Interpolated) | Max. 1200 x 1200 dpi / Max. 19,200 x 19,200 dpi | |
| Scan To Functions | Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, FTPS, SFTP, Network (Windows only), USB | |
| FAX FUNCTIONS | | |
| Modem Speed | 33,600 bps (Fax) | |
| Transmission Speed | Approx. 2.5 sec. (ITU-T test Chart Document No.1, Standard Resolution, JBIG) | |
| Memory Transmission/Out-of-paper Reception | Up to 500 pages (ITU-T Test Chart Document No.1, Standard Resolution, JBIG) | |
| Speed Dial | 300 locations | |
| Group Dial | 20 locations | |
| Broadcasting | 350 locations | |
| PC Faxing | Receive: Windows Send: Windows, Mac (AirPrint), Linux (LPR/CUPS PC-FAX Send Driver) | |
| CONNECTIVITY / NETWORKING | | |
| Interface | USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz) | |
| USB Direct Print | Yes | |
| Mobile Solutions | AirPrint, Mopria, Brother Mobile Connect | |
| Desktop Solutions | Brother iPrint&Scan | |
| WebConnect | Yes | |
| PAPER HANDLING | | |
| Input Tray (Standard) | 250 sheets | |
| Multi-Purpose Tray / Manual Slot | 100 sheets | |
| Output Tray (Face Down) | 150 sheets | |
| | | |
| Optional Input Paper Tray | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs | |
| | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) | |
| Automatic Document Feeder (ADF) | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) | |
| | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) | |
| Automatic Document Feeder (ADF) Media Weights*2 | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB | |
| Automatic Document Feeder (ADF) Media Weights ⁺² Media Size (Standard Tray) OTHERS Processor Speed Memory Display | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB S" FT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 | |
| Automatic Document Feeder (ADF) Media Weights ⁺² Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB Vindows: Win10 Server 2012 / 2012 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) | |
| Automatic Document Feeder (ADF) Media Weights ⁺² Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz A5A: 1 GB IND: 2 GB 5" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 | |
| Automatic Document Feeder (ADF) Media Weights ⁺² Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz A5A: 1 GB IND: 2 GB Stindows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock | |
| Automatic Document Feeder (ADF) Media Weights ⁺² Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz A5A: 1 GB IND: 2 GB 5" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption ⁻³ | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB 5" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 60 W | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpos Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB 5" TFT ColorLCD Windows: Win10 Server 2012 / 2012R / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption ⁻³ | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 12GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB Str TF ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V Ac 50/60 Hz 220 - 240 V | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption ^{*3} Power Source | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpos 20 to 20 g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 12GHz Dual Core Sub: ARM946 150MHz Main: Cortex-A53 12GHz Dual Core Sub: ARM946 150MHz Main: Cortex-Part Core Sub: ARM946 150MHz Satt GB IND: 2 GB Stripper Core Sub: ARM946 150MHz Mindows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpos 20 to 20 g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 12GHz Dual Core Sub: ARM946 150MHz Main: Cortex-A53 12GHz Dual Core Sub: ARM946 150MHz Main: Cortex-Part Core Sub: ARM946 150MHz Satt GB IND: 2 GB Stripper Core Sub: ARM946 150MHz Mindows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 163 g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz A5A: 1 GB IND: 2 GB S" TFT ColorLCD Windows: Win10 Server 2012 / 20122 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 70 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5:3 A LpAm = 54.0 dB(A) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption ¹³ Power Source Noise Level (Printing) ^{*4} SUPPLIES Standard-Yield Toner (*Toner name) ^{*5} Approx. 3,000 pages High-Yield Toner (*Toner name) ^{*5} Approx. 11,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB 5° TFT ColorLCD Windows: Win10 Server 2012 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x66/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 60 W Sleep Mode Average: Approx. 60 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 18,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB S* TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 6.0 W Sleep Mode Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Utra High-Yield Toner (*Toner name)*5 Approx. 11,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB 5° TFT ColorLCD Windows: Win10 Server 2012 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x66/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 60 W Sleep Mode Average: Approx. 60 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Noise Level (Printing)'4 SUPPLIES Standard-Yield Toner (*Toner name)'5 Approx. 3,000 pages Super High-Yield Toner (*Toner name)'5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)'5 Approx. 45,000 pages Durum Approx. 45,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 150MHz ASA: 1 GB IND: 2 GB 5° TFT ColorLCD Windows: Win10 Server 2012 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x66/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 60 W Sleep Mode Average: Approx. 60 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 18,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tary: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 I50MHz A5A: 1 GB IND: 2 GB S* TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3618 | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 11,000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tary: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 I50MHz A5A: 1 GB IND: 2 GB S* TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3618 | |
| Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption'3 Power Source Standard-Yield Toner (*Toner name)*5 Approx. 3,000 pages High-Yield Toner (*Toner name)*5 Approx. 11,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 18,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 18,000 pages Uttra High-Yield Toner (*Toner name)*5 Approx. 18,000 pages Orum Approx. 75.000 pages | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1,040 sheets) 70 sheets (A4/LTR) Standard Tary: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core Sub: ARM946 I50MHz A5A: 1 GB IND: 2 GB S* TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 Linux: CUPS, LPD/LPRng (x86/x64 environment) BRAdmin LIGHT, BRAdmin Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 6.0 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3618 | |

*1 In accordance with ISO/IEC17991.

 $^{\star 2}\,$ Half speed and straight paper output with more than 105 g/m² (28 lb).



Working with you for a better environment www.brotherearth.com





Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

*3 Measured when the machine is connected with the same network connection as the ENERGY STAR

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother International Corporation, Japan.

Ver. 3.1 test method.
*4 In accordance with ISO7779.
*5 In accordance with ISO/IEC 19752.

4