

ENHANCING BUSINESS PERFORMANCE

WITH ELEVATED CAPABILITIES



MONOCHROME LASER PRINTERS

Designed for Reliability & Efficiency

Brother's range of monochrome laser printers help you to drive greater productivity for your enterprise.

ENHANCED EFFICIENCY for seamless, productive workflows



FAST PRINT SPEEDS

Tackle ad-hoc print jobs easily with a print speed of up to 50 ppm (A4/LTR) and an impressive First Print Out Time of under 6.7 seconds.



WIRELESS CAPABILITIES

Print wirelessly and connect to mobile solutions effortlessly.



AUTO DOCUMENT FEEDER

Enhance print productivity with the Auto Document Feeder that supports up to 80 sheets (A4/ LTR) for print, copy and scan jobs in batches.



Displays information with clarity

7-INCH LCD TOUCHSCREEN

using a seamless interface that allows for intuitive navigation.



PAPER SORTER

SCAN FUNCTIONS

with Scan To functions.

Directly upload original scanned

documents to the cloud, e-mail

servers or designated networks

Easily sort out printed documents at the printer for greater convenience.

RELIABILITY that maximises print performance



HIGH PRINT VOLUME

Maximise performance with high paper input capacities of up to 2,080 sheets and save time on reloading.



ROBUST SECURITY

Features such as Secure Function Lock and Secure Print safeguard print jobs and other functions against unauthorised user access.

COST-SAVING with high-yield printing & scanning



HIGH-YIELD TONER CARTRIDGES

Each toner cartridge supports more than 25,000 pages*I worth of prints, reducing overall printing costs and maintenance downtime.



AUTO DUPLEX PRINT & SCAN

Utilises double-sided printing and scanning, saving on total operating costs.

Corporate Solutions

BRADMIN centralising information for easier management at **no cost**

Oversee your network-connected Brother devices through an easily accessible centralised platform with the BRAdmin Professional 4 Application.



Experience greater visibility and management of your machines.



Easily configure printer settings for enhanced access security and device protection.



Save time and money through automation features and zero-cost printer management software.

SECURITY FEATURES secure important data and documents

Protect your data efficiently with a multitude of security features.

SECURE PRINT

Safeguard important documents by restricting print access to classified/important documents with a unique PIN code by any user.

SETTING LOCK

Prevents printer settings from being altered without entering the right password.

SECURE PRINT+

Protect and print important confidential business documents securely by making sure the user is present to retrieve documents via a unique PIN code or NFC card.

CLOUD SECURE PRINT


Allows for secure and remote printing without the need to connect to a corporate network.

CUSTOM UI adapts to your business requirements

Meet specific needs for your business by customising your Brother printer's user interface. Various visual elements like buttons, text and backgrounds can be altered for time-saving accessibility and easier user operation. Furthermore, the Brother Solutions Interface (BSI) allows for seamless integration of modifications into business processes for greater efficiency.



brother



INFORMATION REPLACEMENT BUTTON CUSTOMISATION

Customise your user interface by inserting any information you need, from service data to general information to simply adding your company logo to the background.

Icons and functions can also be customised to meet your needs. Logos, text and functions are easily adjustable to provide clearer access to important functions.

WORKFLOW INTEGRATION

The Brother Solutions Interface (BSI) allows for the storage of interface changes, allowing for seamless integration into company processes for greater efficency.

*I In accordance with ISO/IEC 19752.

| | | MFC-L6915DW |
|---|---|---|
| Description | | 4-in-1 Monochrome Laser Multi-Function Centre with Automatic 2-sided Printing and Wireless Connectivity |
| KEY FUNCTIONS | | Print, Scan, Copy & Fax |
| Print Speed (A4/Letter) | | Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm) |
| Print Resolution | | Up to 1200 x 1200 dpi |
| First Print Out Time (Ready) | | Less than 6.7 secs |
| 2-sided Feature | | Automatic Duplex Printing, Auto Duplex Copy, Duplex Scan |
| Print Language (Emulation) | | PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0 |
| COPY FUNCTIONS | | |
| Copy Speed (A4/Letter) | | Up to 50/52 ppm (Quiet Mode: Up to 25/26 ppm) |
| Copy Resolution | | Max. 1200 x 600 dpi |
| Reduction / Enlargement Ratio | | 25% - 400% in 1% increments |
| Copy Features | | N in 1 |
| SCAN FUNCTIONS | | |
| Scan Speed (Mono/Colour)*1 | | 50/30 ipm |
| Dual Scanner (Method) | | One-Pass Scanning ADF (Dual CIS) |
| Resolution (Optical/Interpolated) | | Max. 1200 x 1200 dpi / Max. 19,200 x 19,200 dpi |
| Scan To Functions | | Sharepoint, E-mail, Email Server, Image, OCR, File, FTP, FTPS, SFTP, Network (Windows only), USB |
| FAX FUNCTIONS | | Sharepoint, 2 mail, 2mar 50/10, maga, 501, 110, 117, 117, 5, 51 11, 100, 100 th (1111, 100, 100) |
| Modem Speed | | 33,600 bps (Fax) |
| Transmission Speed | | Approx. 2.5 sec. (ITU-T Test Chart Document No.1, Standard Resolution, JBIG) |
| Memory Transmission/Out-of-paper Reception | | Up to 500 pages (ITU-T Test Chart Document No.1, Standard Resolution, JBIG) |
| | p | 300 locations |
| Speed Dial | | |
| Group Dial | | 20 locations |
| Broadcasting | | 350 locations Possing Windows / Speck Windows May (AirPrint) Linux / LDP/CLIDS DC FAY Speck Driver) |
| PC Faxing | | Receive: Windows / Send: Windows, Mac (AirPrint), Linux (LPR/CUPS PC-FAX Send Driver) |
| CONNECTIVITY / NETWORKING | | HODOO O' L'EL LAOD THOOD TYMOOD TAWEE'D AND A GOOD |
| Interface | | USB 2.0, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi Direct, Wireless Lan (2.4GHz/5.0GHz) |
| USB Direct Print | | Yes |
| Near-Field Connectivity (NFC) | | Yes (Card Reader / NFC Shortcut) |
| Mobile Solutions | | AirPrint, Mopria, Brother Mobile Connect |
| Desktop Solutions | | Brother iPrint&Scan |
| WebConnect | | Yes |
| PAPER HANDLING | | |
| Input Tray (Standard) | | 520 sheets |
| Multi-Purpose Tray / Manual Slot | | 100 sheets |
| Output Tray (Face Down) | | 250 sheets |
| Output Tray (Face Down) | | |
| Output Tray (Face Down) Optional Input Paper Tray | | 250 sheets (LT-5505) or 520 sheets (LT-6505) x 2 pcs (Max. 1.040 sheets) |
| Optional Input Paper Tray | | (Max. 1,040 sheets) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 | Approx. 3,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES | Approx. 3,000 pages Approx. 6,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 | | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 | Approx. 6,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608 TN-3608XL |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 | Approx. 6,000 pages Approx. 11,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XXL |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Ultra High-Yield Toner (*Toner name)*5 | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages | (Max 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608XL TN-3608XL TN-3608XL TN-3608XXL TN-3618 |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Ultra High-Yield Toner (*Toner name)*5 | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages (1 page/job) | (Max 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608XL TN-3608XL TN-3608XL TN-3608XXL TN-3618 |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Ultra High-Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages (1 page/job) Approx. 75,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1,2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XL TN-3618XL |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Drum | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages (1 page/job) | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1,2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XL TN-3618XL |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Drum | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages (1 page/job) Approx. 75,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1.2GHz Dual Core / Sub: ARM946 150MHz A5A: 2 GB / KOR: 1 GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608XL TN-3608XXL TN-3608XXL TN-3618XL DR-3608 |
| Optional Input Paper Tray Optional Input Tray (Tower Feed type) Automatic Document Feeder (ADF) Media Weights*2 Media Size (Standard Tray) OTHERS Processor Speed Memory Display OS Compatibility Utilities & Solutions Security Features Power Consumption*3 Power Source Noise Level (Printing)*4 SUPPLIES Standard-Yield Toner (*Toner name)*5 High-Yield Toner (*Toner name)*5 Super High-Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Max Yield Toner (*Toner name)*5 Drum | Approx. 6,000 pages Approx. 11,000 pages Approx. 18,000 pages Approx. 25,000 pages Approx. 45,000 pages (1 page/job) Approx. 75,000 pages | (Max. 1,040 sheets) 520 sheets x 4 cassettes (TT-4000) 80 sheets (A4/LTR) Standard Tray: 60 to 163 g/m² (16 to 43 lb) Multi-Purpose Tray: 60 to 230g/m² (16 to 60 lb) A4, Letter, B5 (JIS), A5, A5 (Long Edge), A6, Executive, Legal, Mexico Legal, India Legal, A4 (Short)/270 mm, Folio, 16K Main: Cortex-A53 1,2GHz Dual Core / Sub: ARM946 150MHz ASA: 2 GB / KOR: 1GB 7" TFT ColorLCD Windows: Win10 Server 2012 / 2012R2 / 2016 / 2019 / Linux: CUPS, LPD/LPRng (x86/x64 environment) BRADMIN LIGHT, BRADMIN Professional 4 Active Directory, Secure Function Lock, Secure Print, LDAP, Setting Lock Printing Average: Approx. 710 W / Sleep Mode Average: Approx. 6.7 W 220 - 240 V AC 50/60 Hz 5.3 A LpAm = 54.0 dB(A) TN-3608 TN-3608XL TN-3608XL TN-3618XL |

^{*1} In accordance with ISO/IEC17991.



Working with you for a better environment www.brotherearth.com





Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

^{*2} Half speed and straight paper output with more than 105 g/m² (28 lb).

 $^{^{} au 3 }$ Measured when the machine is connected with the same network connection as the ENERGY STAR Ver. 3.1 test method.

<sup>Vel. 3.1 test method.
In accordance with ISO7779.
In accordance with ISO/IEC 19752.</sup>